PROFIGOLD

THE CATALOGUE

2008/2009



CONTENT

INTRODUCTION 1, 2

VISION
INTRODUCTION 3

THE **PACKAGE** 4
UNIQUE **SELLING POINTS** 5, 6, 7

PROFIGOLD **HDMI** 8
HDMI **INTERCONNECTS** ..... 9 ,10

DVI **INTERCONNECTS** 11
COMPONENT **INTERCONNECTS** 12

S-VIDEO **INTERCONNECTS** 12
SCART **INTERCONNECTS** 12

COMPOSITE **INTERCONNECTS** 13
ANTENNA **INTERCONNECTS** 14

SOUND
INTRODUCTION 15

THE **PACKAGE** 16
UNIQUE **SELLING POINTS** 17, 18

OPTICAL **INTERCONNECTS** 19
DIGITAL **COAX INTERCONNECTS** 19

STEREO **RCA INTERCONNECTS** 19
SUBWOOFER **INTERCONNECTS** 20

PORTABLE AUDIO **INTERCONNECTS** 20
AUDIO **CABLE ON REEL** 21
LOUDSPEAKER **CABLE ON REEL** 22

MEDIA
INTRODUCTION 23

THE **PACKAGE** 24
UNIQUE **SELLING POINTS** 25, 26

FIREWIRE **INTERCONNECTS** 27
DVI **INTERCONNECTS** 28

FOR IPOD
INTRODUCTION 29

THE **PACKAGE** 30
UNIQUE **SELLING POINTS** 31, 32

AUDIO VIDEO **INTERCONNECTS** 33
PORTABLE **AUDIO INTERCONNECTS** 33, 34

PROFIGOLD®

FEEL THE EXPERIENCE

The new Profigold interconnects guarantee you quality enjoyment and the experience of a live performance. Authenticity 24 hours a day, 7 days a week. Never standing still - like life itself.

Relive those unique emotions, but this time in the comfort of your own home. Experience the dynamism of a live concert or the high definition of the cinema with the very best sound and picture quality your set can offer.

Profigold interconnects are developed in the Netherlands for the optimum connection between vision, audio, media and for iPod® equipment. They consistently provide excellent quality, they are suitable for every brand, and they are available in various lengths.

Don't deny yourself access to the highest quality - simply enjoy the exclusive experience of Profigold.

PROFIGOLD
LIVE THE EXPERIENCE

Vision
PROFIGOLD
PROV1001
1,0 m
3.3 ft

1. 24k Hard Gold plated contacts, for excellent protection against corrosion
2. Pearlized chrome plated metal connector with metal inner case, for maximum reduction of RF/EMI interference
3. Superior flexible outer cable jacket, avoids cable twisting and cable fracture
4. Color coded plugs with silver soldering, for easy installation and minimum transition resistance

1

2

3

4



1. Silver Plated 99,9996% Oxygen Free Copper conductors, for high speed full HD signal transmission

   Superior large gauge conductors, for full performance up to 20 meters

2. Multiple Shielding, for maximum protection from RF-EMI interference

   High Quality FPE insulation, to ensure crystal clear sound and picture

3. Interference Absorbtion Technology®, to absorb Electro-Magnetic and RF Interference

   Integrated Cable Stopper, for optimized cable management

HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE

- High Speed HDMI™ 1.3b cat2 certified, Supports Deep Color & x.v. Color™
- Designed for 1440p, 1080p, 1080i resolution, even up to 20 meters
- 10.2 Gbps and 48Bit, for ultimate resolution and frame rates
- Supports Dolby® TruHD and DTS-HD Master Audio™ multi-channel audio, for future proof audio
- Compatible with Blu-ray, PS3® and Xbox®, for true life gaming



HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

VISION

1

2

1 **PROV1000 I** High Definition HDMI Interconnect
HDMI ♂ - HDMI ♂ **0.5m 1.6ft**

PROV1001 I 1.0m 3.3ft
PROV1002 I 2.0m 6.6ft
PROV1003 I 3.0m 9.9ft
PROV1005 I 5.0m 16.4ft
PROV1007 I 7.5m 1.6ft
PROV1010 I 10.0m 32.8ft
PROV1015 I 15.0m 49.2ft
PROV1020 I 20.0m 65.6ft

2 **PROV1502 I** High Definition HDMI-Mini Interconnect
HDMI-A ♂ HDMI-C ♂ **2.0m 6.6ft**

3 **PROS1002 I** High Definition HDMI Switch 2-port
HDMI ♀ - 2 x HDMI ♀

4 **PROD102 I** High Definition HDMI Swivel Adapter
HDMI ♀ - HDMI ♂

5 **PROD150 I** High Definition HDMI Adapter
HDMI-A ♀ - HDMI-C ♂

6 **PROD100 I** High Definition HDMI Coupler
HDMI ♀ - HDMI ♀

HDMI
SWITCHER
PROFIGOLD

3

PROFIGOLD

4

PROFIGOLD

5

PROFIGOLD
PROFIGOLD

6

1

2

3

1 **PROV1102 I** High Definition HDMI-DVI Interconnect
HDMI ♂ - DVI ♂ **2.0m 6.6ft**
PROV1105 I **5.0m 16.4ft**

2 **PROD1300 I** High Definition HDMI to DVI-D Adapter Interconnect
HDMI ♀ - DVI-D ♂ **0.15m 0.5ft**

3 **PROD1200 I** High Definition DVI-D to HDMI Adapter Interconnect
HDMI ♂ - DVI-D ♀ **0.15m 0.5ft**

4 **PROV3301 I** High Definition Component Video Interconnect
3 x RCA ♂ - 3 x RCA ♂ **1.0m 3.3ft**
PROV3302 I **2.0m 6.6ft**
PROV3303 I **3.0m 9.9ft**
PROV3305 I **5.0m 16.4ft**
PROV3307 I **7.5m 24.7ft**
PROV3310 I **10.0m 32.8ft**

5 **PROV6601 I** High Performance S-Video Interconnect
S-VIDEO ♂ - S-VIDEO ♂ **1.0m 3.3ft**
PROV6602 I **2.0m 6.6ft**
PROV6603 I **3.0m 9.9ft**
PROV6605 I **5.0m 16.4ft**
PROV6607 I **7.5m 24.6ft**
PROV6610 I **10.0m 32.8ft**

6 **PROV7101 I** High Performance SCART Interconnect
SCART ♂ - SCART ♂ **1.0m 3.3ft**
PROV7102 I **2.0m 6.6ft**
PROV7103 I **3.0m 9.9ft**
PROV7105 I **5.0m 16.4ft**
PROV7107 I **7.5m 24.6ft**
PROV7110 I **10.0m 32.8ft**

7 **PGC6606 I** High Performance S-Video cable on reel
2*7*0,12 OFC strands, o.d. 6,5mm, Air Foam PE Insulation **100m 328ft**

8 **PGC3300 I** High Performance Component Video cable on reel
3*25*0,12 OFC strands, o.d. 18,0mm, Air Foam PE Insulation **50.0m 164ft**

4

5

6



7

8

1

2

3

4

5

1 **PROD765 I** High Performance SCART to 3RCA + S-Video Adapter
SCART ♂ - 3 x RCA ♀ + S-Video ♀

2 **PROD730 I** High performance SCART to RGB Adapter
SCART ♂ - 3 x RCA ♀

3 **PROV5302 I** High Performance Audio Video Interconnect
3 x RCA ♂ - 3 x RCA ♂ **2.0m 6.6ft**
PROV5305 I **5.0m 16.4ft**

4 **PROV5001 I** High Performance Composite Video Interconnect
RCA ♂ - RCA ♂ **1.0m 3.3ft**
PROV5002 I **2.0m 6.6ft**
PROV5005 I **5.0m 16.4ft**
PROV5010 I **10.0m 32.8ft**

5 **PROD120 I** High Performance RCA Coupler
RCA ♀ - RCA ♀

6 **PROV8701 I** High Performance Coaxial Antenna Interconnect
COAX ♂ - COAX ♀ **1.0m 3.3 ft**
PROV8702 I **2.0m 6.6 ft**
PROV8703 I **3.0m 9.9 ft**
PROV8705 I **5.0m 16.4 ft**
PROV8707 I **7.5m 24.6 ft**
PROV8710 I **10.0m 32.8 ft**

7 **PROV9001 I** High Performance Digital Coaxial Antenna Interconnect
F-CONN ♂ - F-CONN ♂ **1.0m 3.3ft**
PROV9002 I **2.0m 6.6ft**
PROV9003 I **3.0m 9.9ft**
PROV9005 I **5.0m 16.4ft**
PROV9007 I **7.5m 24.6ft**
PROV9010 I **10.0m 32.8ft**

8 **PGC5609 I** High Performance Digital Sattelite Coax Cable on Reel 1*1*1,13 OFC strand, o.d. 7,0mm, Air Foam PE Insulation, Triple screening, UV and temparature resistance, 115dB **100m 328ft**

9 **PROD640 I** High Performance Coax antenna connector
COAX ♂ - COAX ♀

6

7



8

9


PROFIGOLD
ENJOY THE EXPERIENCE

Sound
PROFIGOLD
PROA4200
0,5 m
1.6 ft

1. 24k Hard Gold plated contacts, for excellent protection against corrosion
2. Pearlized chrome plated metal connector with metal inner case, for maximum reduction of RF/EMI interference
3. Color coded plugs with silver soldering, for easy installation and minimum transition resistance
4. Special iPod 3.5 mm. plug, for Apple ® iPhone™ & iPod Touch™ compliant
5. Solid black coated non-reflection jacket on optical interconnect, to assure purest signal transfer
6. Superior Grade 99,996% Oxygen Free Copper, ensures lowest possible signal loss and cristal clear sound

1

PROFIGOLD
PROFIGOLD
2

3

PROFIGOLD
4

5

6

1

2

3

1 **PROA5601** I High Performance Fiber Optic Digital Audio Interconnect
OPTICAL ♂ - OPTICAL ♂ **1.0m 3.3ft**
PROA5602 I **2.0m 6.6ft**
PROA5603 I **3.0m 9.9ft**
PROA5605 I **5.0m 16.4ft**

2 **PROA4801** I High Performance Digital Coax Audio Interconnect
RCA ♂ - RCA ♂ **1.0m 3.3ft**
PROA4802 I **2.0m 6.6ft**
PROA4803 I **3.0m 9.9ft**
PROA4805 I **5.0m 16.4ft**

3 **PROA4200** I High Performance Stereo Audio Interconnect
2 x RCA ♂ - 2 x RCA ♂ **0.5m 1.6ft**
PROA4201 I **1.0m 3.3ft**
PROA4202 I **2.0m 6.6ft**
PROA4203 I **3.0m 9.9ft**
PROA4205 I **5.0m 16.4ft**
PROA4210 I **10.0m 32.8ft**

4 **PROA4103** I High Performance Subwoofer Interconnect
RCA ♂ - RCA ♂ **3.0m 9.9ft**
PROA4105 I **5.0m 16.4ft**
PROA4110 I **10.0m 32.8ft**

5 **PROA4600** I High Performanvce Subwoofer Adapter Interconnect
2 x RCA ♂ - RCA ♀ **0.15m 0.5ft**

6 **PROA3401** I High Performance Portable Audio Interconnect
3.5mm JACK ♂ - 2 x RCA ♂ **1.0m 3.3ft**
PROA3402 I **2.0m 6.6ft**
PROA3403 I **3.0m 9.9ft**
PROA3405 I **5.0m 16.4ft**

7 **PROD124** I High Performance RCA Splitter
RCA ♂ - 2 x RCA ♀

8 **PROD122** I High Performance Audio RCA Coupler
2 x RCA ♀ - 2 x RCA ♀

PROFIGOLD

4

PROFIGOLD
PROFIGOLD
PROFIGOLD

5

PROFIGOLD
PROFIGOLD
PROFIGOLD

6

PROFIGOLD
PROFIGOLD

7

PROFIGOLD
PROFIGOLD

8

1 **PGC 4800 I** High Performance Digital Coax Audio Cable on Reel
1*80*0,10 OFC strands, o.d. 8,0mm, Air Foam PE Insulation, Dual Screening **100m 328ft**

2 **PGC 3536 I** High Performance Audio Cable on Reel
1*52*0,08 OFC strands, o.d. 9,0mm, Air Foam PE Insulation, Triple screening **50m 164ft**

3 **PGC 3526 I** High Performance Audio Cable on Reel
2*25*0,12 OFC strands, o.d. 13,9mm, Air Foam PE Insulation, Triple screening **50m 164ft**

PGC 3226 I 2*31*0,1 OFC strands, o.d. 9,6mm, Air Foam PE Insulation, Dual screening **50m 164ft**

4 **PGC 8256 I** High Performance AirBassflex Loudspeaker Cable on Reel
2*2,5mm o.d. 20mm, Air Foam PE Insulation, Pure Silver Solid Bass en flexible High conductor **50m 164ft**

5 **PGC 8156 I** High Performance AirBassflex Loudspeaker Cable on Reel
2*1,5mm o.d. 16mm, Air Foam PE Insulation, Pure Silver Solid Bass en flexible High conductor **100m 328ft**

6 **PROD 700 I** High Performance Banana Connector Kit
BANANA ♂ - BANANA ♂

7 **PGC 11529 I** High Performance FlatFlex loudspeaker Cable on Reel
2*1,3mm o.d. 12mm, Air Foam PE Insulation, Ultra Flat 2.2mm high **100m 328ft**

8 **PGC 7404 I** High Performance Bassflex Loudspeaker Cable on Reel
2*4mm o.d. 12mm, Solid Bass en flexible High conductor, Transparent jacket **50m 164ft**

PGC 7409 I High Performance Bassflex Loudspeaker Cable on Reel
2*4mm o.d. 12mm, Solid Bass en flexible High conductor,
White jacket **50m 164ft**

4

5

6

7

8

SOUND

PROFIGOLD
CREATE THE EXPERIENCE

MEDIA

1. 24k Hard Gold plated contacts, for excellent protection against corrosion
2. Pearlized chrome plated metal connector with metal inner case, for maximum reduction of RF/EMI interference
3. Superior flexible outer cable jacket, avoids cable twisting and cable fracture
4. Silver Plated 99,9996% Oxygen Free Copper conductors, for high speed full HD signal transmission
5. Interference Absorbtion Technology™, to absorb Electro-Magnetic and RF Interference



1

2

3

4

5

1

2

1 **PROM6102 I** High Speed FireWire 400 IEEE1394 Interconnect
4PIN ♂ - 4PIN ♂ **2.0m 6.6ft**

2 **PROM6202 I** High Speed FireWire 400 IEEE1394 Interconnect
4PIN ♂ - 6PIN ♂ **2.0m 6.6ft**

3 **PROV1402 I** High Definition DVI Interconnect
DVI-D ♂ - DVI-D ♂ **2.0m 6.6ft**
PROV1405 I **5.0m 16.4ft**

4 **PROD1200 I** High Definition DVI-D to HDMI Adapter Interconnect
HDMI ♂ - DVI ♀ **0.15m 0.5ft**

5 **PROV1102 I** High Definition HDMI to DVI Interconnect
HDMI ♂ - DVI ♂ **2.00m 6.6ft**
PROV1105 I **5.0m 16.4ft**

6 **PROD1300 I** High Definition HDMI to DVI-D Adapter Interconnect
DVI-D ♂ - HDMI ♀ **0.15m 0.5ft**

PROFIGOLD

3

PROFIGOLD
PROFIGOLD

4

PROFIGOLD
PROFIGOLD

5

PROFIGOLD
PROFIGOLD

6

PROFIGOLD
FEEL THE EXPERIENCE

FOR IPOD

1. Slim-line plug design, for ultimate usage with portable equipment Color coded plugs with silver soldering, for easy installation and minimum transition resistance
2. 24k Hard Gold plated contacts, for excellent protection against corrosion
3. Special iPod 3.5 mm. plug, for Apple® iPhone™ & iPod Touch™ compliant
4. Superior Grade 99.996% Oxygen Free Copper, ensures lowest possible signal loss
5. Transparent ultra flexible cable for maximum portable usage Interference Absorption Technology™, to absorb Electro-Magnetic and RF Interference

1

2

3

4

5

6

FOR IPOD

1

2

1 **PROI5202 I** High Performance iPod® Audio/Video Interconnect 3.5mm JACK ♂ - 3 x RCA ♂ **2.0m 6.6ft**

2 **PROI3401 I** High Performance Portable Audio Interconnect iPod®
3.5mm JACK ♂ - 2 x RCA ♂ **1.0m 3.3ft**
PROI3402 I **2.0m 6.6ft**
PROI3405 I **5.0m 16.4ft**

3 **PROD3400 I** High Performance Headphone to RCA Adapter
3.5mm JACK ♂ - 2 x RCA ♀

4 **PROI3301 I** High Performance Portable Audio Interconnect
3.5mm JACK ♂ - 3.5mm JACK ♂ **1.0m 3.3ft**
PROI3302 I **2.0m 6.6ft**

5 **PROI3602 I** High Performance Portable Audio Extension Interconnect
3.5mm JACK ♂ - 3.5mm JACK ♀ **2.0m 6.6ft**

6 **PROI3200 I** High Performance Headphone Splitter Interconnect
3.5mm JACK ♀ - 2 x 3.5mm JACK ♀ **0.15m 0.5ft**

For more information please visit us at:

profigold.com